

CURRENTLY PENDING CLAIMS

1. (Currently Amended) A method of presenting an execution plan for a query, comprising:
determining steps of the query execution plan ~~in~~ for a parallel database system;
displaying the steps of the query execution plan in a graphical user interface; and
depicting parallel execution of steps of the query execution plan in the graphical user interface,
wherein depicting the parallel execution of steps comprises displaying plural elements corresponding to concurrently executing plural steps on respective processors of the parallel database system.

2. (Currently Amended) The method of claim 1, wherein determining the steps comprises determining steps of the query execution plan ~~in~~ for the parallel database system running in a multiprocessing platform having plural ~~nodes~~ processors.

3. (Currently Amended) The method of claim 1, wherein determining the steps comprises determining steps of the query execution plan ~~in~~ for the parallel database system running in a platform having plural virtual processors to handle access to data in the parallel database system.

4. (Currently Amended) The method of claim 1, wherein displaying the steps plural elements comprises displaying plural ~~the steps as~~ icons.

5. (Currently Amended) The method of claim ~~14~~, wherein the database management system is executable in a platform, and wherein displaying the icons comprises displaying one or more of the icons selected from the group consisting of an icon representing a table, an icon representing an operation performed on a component of

B₁

5 the platform, an icon representing a query statement, and icon representing an operation
6 performed on two or more tables.

1 6. (Original) The method of claim 1, wherein determining the steps of the
2 query execution plan is performed by an optimizer.

3 7. (Currently Amended) The method of claim 6, wherein determining the
4 steps of the query execution plan is performed by ~~an~~ the optimizer based on emulated
environment data of a target system, the optimizer and emulated environment data
present in a test system, the target system comprising the parallel database system.

1 8. (Currently Amended) The method of claim 1, wherein determining the
2 steps of the query execution plan is performed in a test system based on emulated
3 environment data of a target system that is separate from the test system, the target
4 system comprising the parallel database system.

1 9. (Original) The method of claim 1, further comprising displaying explain
2 text of the query execution plan.

1 10. (Original) The method of claim 9, wherein displaying the explain text
2 comprises displaying the explain text in a first screen, and wherein displaying the steps of
3 the query execution plan comprises displaying the steps in a second screen.

1 11. (Original) A method of testing performance of a query, comprising:
2 determining a first execution plan of the query under a first condition;
3 determining a second execution plan of the query under a second
4 condition; and
5 displaying the first and second execution plans concurrently to enable
6 comparison of the execution plans.

1 12. (Original) The method of claim 11, wherein displaying the first and
2 second execution plans comprises displaying the execution plans in a graphical user
3 interface.

1 13. (Original) The method of claim 11, wherein displaying the first and
2 second execution plans comprises displaying the execution plans in a graphical user
3 interface having a first screen to display the first execution plan and a second screen to
4 display the second execution plan.

1 14. (Original) The method of claim 11, wherein displaying the first and
2 second execution plans comprises displaying a collection of icons to represent steps of
3 each of the execution plans.

1 15. (Original) The method of claim 11, further comprising:
2 determining a third execution plan of the query under a third condition;
3 and
4 displaying the first, second, and third execution plans concurrently to
5 enable comparison of the execution plans.

1 16. (Original) The method of claim 11, wherein determining the first
2 execution plan comprises determining an execution plan for the query in cooperation with
3 a first version of a software module of a parallel database system.

1 17. (Original) The method of claim 16, wherein determining the second
2 execution plan comprises determining an execution plan for the query in cooperation with
3 a second version of the software module of the parallel database system.

1 18. (Original) The method of claim 11, wherein determining the first
2 execution plan comprises determining an execution plan for the query in a system having
3 a first arrangement.

1 19. (Original) The method of claim 18, wherein determining the second
2 execution plan comprises determining an execution plan for the query in a system having
3 a second arrangement.

1 20. (Original) The method of claim 11, wherein determining the first
2 execution plan comprises determining an execution plan involving a table having a first
3 content.

1 21. (Original) The method of claim 20, wherein determining the second
2 execution plan comprises determining an execution plan involving the table having a
3 second content.

1 22. (Previously Amended) The method of claim 21, wherein the second
2 content contains statistics.

1 23. (Previously Amended) A system comprising:
2 a graphical user interface; and
3 a controller to determine an execution plan of a query based on emulation
4 data that emulates an environment of a target system in which a parallel database system
5 is implemented,
6 the controller to display a representation of the execution plan in the
7 graphical user interface.

1 24. (Original) The system of claim 23, wherein the emulation data comprises
2 cost-related information including a number of nodes in the target system and a number
3 of CPUs in each node.

1 25. (Original) The system of claim 23, wherein the emulation data comprises
2 cost-related information including a number of virtual processors running in the target
3 system.

1 26. (Original) The system of claim 23, wherein the emulation data comprises
2 cost-related information relating to costs of doing operations in the target system.

1 27. (Original) The system of claim 23, wherein the emulation data represents a
2 target system having a multi-node parallel processing system.

1 28. (Cancel)

1 29. (Original) The system of claim 23, wherein the emulation data represents a
2 target system running plural virtual processors for handling access to the parallel database
3 system.

35
SafC10
1 30. (Currently Amended) An article comprising one or more storage media
2 containing instructions that when executed cause a controller to:
3 determine an execution plan of a query for a parallel database system;
4 display the steps of the execution plan in a graphical user interface; and
5 depict parallel execution of steps of the execution plan in the graphical
6 user interface,
7 wherein depicting the parallel execution of steps comprises displaying
8 plural elements corresponding to concurrently executing plural steps on respective
9 processors of the parallel database system.

1 31. (Previously Added) The article of claim 30, wherein the instructions when
2 executed cause the controller including an optimizer to determine the execution plan of
3 the query.

1 32. (Previously Added) The article of claim 30, wherein the instructions when
2 executed cause the controller to receive environment information to emulate a target
3 database system.

1 33. (Previously Added) The article of claim 32, wherein the instructions when
2 executed cause the controller to determine the execution plan of the query based on the
3 environment information.

1 34. (Previously Added) The article of claim 30, wherein the execution plan
2 comprises a first execution plan, wherein the instructions when executed cause the
3 controller to further:
4 determine a second execution plan of the query for the parallel database
5 system;
6 display the steps of the second execution plan concurrently with the steps
7 of the first execution plan in the graphical user interface.

B4 Sub C12
1 35. (New) The method of claim 1, wherein displaying the plural elements
2 comprises displaying the plural elements side-by-side to indicate concurrent execution of
3 the respective steps.

1 36. (New) The method of claim 35, further comprising displaying other
2 elements in sequence with the plural side-by-side elements to indicate sequential
3 execution of other steps corresponding to the other elements.

1 37. (New) The method of claim 11, wherein determining the first execution
2 plan comprises determining the first execution plan in a parallel database system
3 environment, determining the second execution plan comprises determining the second
4 execution plan in the parallel database system environment, and displaying each of the
5 first and second execution plans comprises displaying plural elements corresponding to
6 concurrently executing plural steps on respective processors of the parallel database
7 system environment.

1 38. (New) The method of claim 37, wherein displaying the plural elements
2 comprises displaying the plural elements side-by-side to indicate concurrent execution of
3 the respective steps.

1 39. (New) The method of claim 38, further comprising displaying other
2 elements in sequence with the plural side-by-side elements to indicate sequential
3 execution of other steps corresponding to the other elements.

Bt
1 40. (New) The article of claim 30, wherein displaying the plural elements
2 comprises displaying the plural elements side-by-side to indicate concurrent execution of
3 the respective steps.

1 41. (New) The article of claim 40, further comprising displaying other
2 elements in sequence with the plural side-by-side elements to indicate sequential
3 execution of other steps corresponding to the other elements.
